


Product


KEB 0325S



KEB-0325S is a crimping tool for endsleeves according to DIN 46228, 0.25 mm²; 0.5 - 1.5 mm²; 2.5 mm² / AWG 24; AWG 22-16; AWG 14, front fedded, Trapez-Crimp.



Die profile



Crimp profile

- High strength, through hardened alloy steel construction
- Unique mechanism significantly reduces hand force requirement over competing crimping tools
- Versatile and easy to customize for right hand or left hand users.
- Non-slip pad holds tool in place when leveraging on a work surface
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Hole in handle allows attachment of safety strap
- Each tool has a unique serial number for traceability

TECHNICAL DATA

Length: 204 mm/8.03"

Width: 22 mm/0.87"

Height: 76 mm/2.99"

Weight: 500 gr/1.1 lb

Wire size: 0.25-2.5 mm² / AWG 24-AWG 14

Crimp dimensions mm/mm²:
0.25 mm²/0,5 - 1,5 mm²/2,5 mm²

Crimp dimensions inch/AWG:
AWG 24/AWG 22 - 16/AWG 14

Connector: Endsleeves

Description: For endsleeve connectors, both uninsulated and insulated.

Life span, cycles: 50,000