


Product

KCC 0908S




KCC-0908S is a crimping tool for coaxial connectors, 3.25 mm, 4.52 mm, 1.69 mm/.128", .178", .067", HEX-Crimp.

- High strength, through hardened alloy steel construction
- Unique mechanism significantly reduces hand force requirement over competing crimping tools
- Versatile and easy to customize for right hand or left hand users.
- Non-slip pad holds tool in place when leveraging on a work surface
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Hole in handle allows attachment of safety strap
- Each tool has a unique serial number for traceability



Die profile



Crimp profile

TECHNICAL DATA

Length: 204 mm/8.03"

Width: 22 mm/0.87"

Height: 76 mm/2.99"

Weight: 500 gr/1.1 lb

Crimp dimensions mm/mm²:
3,25 mm/4,52 mm/1,69 mm

Crimp dimensions inch/AWG:
.128"/.178"/.067"

Connector: Coaxial connector

Description: For example SMA, SMB, SMC on RG 174, RG 179.

Life span, cycles: 50,000

Cables: RG122/U, RG143A/U, RG174A/U, RG179B/U, RG180B/U, RG187A/U, RG188A/U, RG212/U, RG222/U, RG279/U, RG303/U, RG316/U, RG6 Quad, RG6A/U, TWINAX